	To Date Days w/ Great										Fe	brua	ary		
		To Da Norma		Day Ra	ys w/ ain ²		atest Rain			To Dat Norma			ys w/ ain ²		atest Rain
	D	M	Y	DR	%R	Amt	Year		D	M	Y	DR	%R	Amt	Year
1	.24	.24	.24	77	65 %	1.43	1987	1	.18	.18	7.05	69	57 %	2.29	1937
2	.24	.48	.48	70	58 %	3.39	1933	2	.19	.37	7.24	62	52 %	1.02	1907
3	.24	.72	.72	69	57 %	3.87	1966	3	.19	.56	7.43	57	47 %	1.13	1952
4	.24	.96	.96	69	57 %	2.04	1976	4	.20	.76	7.63	67	55 %	1.92	1926
5	.24	1.20	1.20	73	61 %	3.08	1978	5	.20	.96	7.83	70	58 %	0.98	1996
6	.23	1.43	1.43	69	57 %	3.18	1948	6	.20	1.16	8.03	71	59 %	2.89	1996
7	.24	1.67	1.67	75	63 %	3.28	1976	7	.20	1.36	8.23	61	50 %	3.69	1996
8	.24	1.91	1.91	65	55 %	1.81	1959	8	.20	1.56	8.43	65	54 %	1.58	1996
9	.25	2.16	2.16	68	57 %	1.86	1989	9	.20	1.76	8.63	61	50 %	2.39	1961
10	.24	2.40	2.40	65	54 %	2.21	1969	10	.20	1.96	8.83	62	51 %	3.87	1961
11	.24	2.64	2.64	68	57 %	3.00	1959	11	.20	2.16	9.03	67	55 %	1.86	1986
12	.24	2.88	2.88	68	57 %	2.16	1897	12	.20	2.36	9.23	73	60 %	3.43	1984
13	.23	3.11	3.11	71	59 %	4.15	1995	13	.20	2.56	9.43	75	62 %	2.08	1982
14	.23	3.34	3.34	74	62 %	2.12	1974	14	.19	2.75	9.62	70	58 %	1.55	1982
15	.22	3.56	3.56	74	62 %	4.74	1974	15	.19	2.94	9.81	68	56 %	2.70	1958
16	.22	3.78	3.78	77	64 %	1.55	1971	<i>16</i>	.19	3.13	10.00	73	60 %	1.45	1970
<i>17</i>	.23	4.01	4.01	66	55 %	2.37	2006	17	.19	3.32	10.19	75	62 %	2.30	1983
18	.22	4.23	4.23	72	60 %	2.39	2012	18	.20	3.52	10.39	68	56 %	2.10	1974
19	.22	4.45	4.45	73	61 %	3.77	1964	19	.20	3.72	10.59	67	55 %	1.78	1992
20	.21	4.66	4.66	61	51 %	4.26	1972	20	.20	3.92	10.79	71	59 %	2.08	1956
21	.21	4.87	4.87	63	52 %	1.74	1993	21	.19	4.11	10.98	67	55 %	2.19	1927
22	.21	5.08	5.08	66	55 %	1.47	1970	22	.19	4.30	11.17	75	62 %	2.18	1986
23	.20	5.28	5.28	73	61 %	1.82	1965	23	.19	4.49	11.36	67	55 %	1.92	1996
24	.21	5.49	5.49	75	63 %	1.71	2012	24	.19	4.68	11.55	63	52 %	1.76	1958
25	.21	5.70	5.70	74	62 %	1.68	1970	25	.19	4.87	11.74	66	55 %	1.09	1940
26	.20	5.90	5.90	65	54 %	1.63	1914	26	.19	5.06	11.93	71	59 %	1.60	1904
27	.19	6.09	6.09	64	53 %	2.66	1954	27	.19	5.25	12.12	64	53 %	1.58	1899
28	.19	6.28	6.28	65	54 %	1.57	1990	28	.18	5.43	12.30	62	51 %	1.75	2011
29	.19	6.47	6.47	73	61 %	2.06	1958	29	-	-	-	17	58 %	0.88	2012
30	.20	6.67	6.67	66	55 %	1.57	1961			29 Feb i	rainfall n	ot calc	culated f	or M or	Y
31	.20	6.87	6.87	71	59 %	1.53	1987								

Normal January Rain		6.87"	Normal February Rain		5.43"
Normal January Snow	0	0.8 inch	Normal February Snow	2.	4 inches
Wettest January	15.36"	1995	Wettest February	16.89"	1996
Driest January	0.31"	1985	Driest February	0.10"	1920
Snowiest January	47.1"	1969	Snowiest February	22.7	1917
Greatest Daily Rainfall	4.74"	15 th /1974	Greatest Daily Rainfall	3.87"	$10^{th} / 1961$
Greatest Rain in a 24-hrs	4.88"	14-15 th /1974	Greatest Rain in a 24-hrs	4.81"	12-13 th /1984
Greatest Snow in a 24-hrs 22.9" 25-26 th		25-26 th /1969	Greatest Snow in a 24-hrs	5.7"	19-20 th /1993

¹D is daily value, M is month-to-date, Y is year-to-date. Normals are 1981-2010, while Period of Record is 1892-2012.
²DR is number of days that had rain (0.01 inch or more), %R is the percent of days since 1893 f receiving 0.01 inch or more rain.

	To Date Days w/ Greates											<mark>Apri</mark>	il		
		To Da Norma			ys w/ ain ²	Gre Daily				To Dat Normal		Day Ra	ys w/ ain ²		atest Rain
	D	M	Y	DR	%R	Amt	Year		D	M	Y	DR	%R	Amt	Year
1	.19	.19	12.49	69	57 %	1.91	1972	1	.14	.14	17.43	60	50 %	1.07	1931
2	.19	.38	12.68	74	61 %	1.24	1991	2	.13	.27	17.56	51	43 %	1.18	1982
3	.19	.57	12.87	59	49 %	2.13	1991	3	.14	.41	17.70	56	47 %	0.95	1993
4	.18	.75	13.05	61	50 %	1.94	1916	4	.13	.54	17.83	65	55 %	1.00	1893
5	.17	.92	13.22	65	54 %	1.81	1989	5	.13	.67	17.96	61	51 %	1.12	1991
6	.16	1.08	13.38	54	45 %	1.18	1916	6	.13	.80	18.09	60	50 %	1.79	1907
7	.17	1.25	13.55	61	50 %	1.22	1957	7	.13	.93	18.22	58	49 %	1.29	1995
8	.16	1.41	13.71	68	56 %	1.20	1960	8	.12	1.05	18.34	60	50 %	1.45	1971
9	.16	1.57	13.87	77	64 %	1.30	1983	9	.13	1.18	18.47	60	50 %	1.79	1992
10	.17	1.74	14.04	64	53 %	1.27	1903	10	.12	1.30	18.59	58	49 %	1.19	1982
11	.16	1.90	14.20	69	57 %	1.12	1971	11	.11	1.41	18.70	58	49 %	1.43	1981
12	.16	2.06	14.36	72	60 %	1.74	1989	12	.11	1.52	18.81	56	47 %	0.87	1955
13	.16	2.22	14.52	68	56 %	1.67	1980	13	.11	1.63	18.92	57	48 %	2.05	1982
14	.16	2.38	14.68	64	53 %	1.69	1974	14	.11	1.74	19.03	51	43 %	0.88	1978
15	.17	2.55	14.85	62	51 %	1.16	1912	15	.11	1.85	19.14	57	48 %	1.40	1895
16	.16	2.71	15.01	62	51 %	1.38	1993	16	.11	1.96	19.25	62	52 %	1.03	1979
<i>17</i>	.16	2.87	15.17	68	56 %	1.46	1945	<i>17</i>	.10	2.06	19.35	51	43 %	0.86	1919
18	.16	3.03	15.33	65	54 %	1.20	1975	18	.11	2.17	19.46	52	44 %	0.84	1965
19	.15	3.18	15.48	58	48 %	1.27	1938	19	.11	2.28	19.57	57	48 %	1.02	1925
20	.16	3.34	15.64	67	55 %	0.90	1945	20	.11	2.39	19.68	45	38 %	0.96	1980
21	.15	3.49	15.79	68	56 %	1.92	2012	21	.11	2.50	19.79	51	43 %	0.67	1916
22	.15	3.64	15.94	74	61 %	1.10	1976	22	.10	2.60	19.89	48	40 %	0.84	1978
23	.15	3.79	16.09	70	58 %	1.39	1985	23	.11	2.71	20.00	49	41 %	1.08	2003
24	.15	3.94	16.24	75	62 %	1.99	1976	24	.10	2.81	20.10	46	38 %	0.63	1975
25	.15	4.09	16.39	74	61 %	1.56	1962	25	.09	2.90	20.19	48	40 %	0.66	1970
26	.15	4.24	16.54	64	53 %	1.42	1962	26	.09	2.99	20.28	55	46 %	0.63	2010
27	.15	4.39	16.69	64	53 %	1.25	1897	27	.09	3.08	20.37	49	41 %	1.32	1962
28	.15	4.54	16.84	62	52 %	1.32	1974	28	.08	3.16	20.45	54	45 %	0.97	1969
29	.15	4.69	16.99	68	56 %	2.21	1963	29	.09	3.25	20.54	46	38 %	0.94	1992
30	.15	4.84	17.14	66	55 %	1.59	1994	30	.08	3.33	20.62	53	44 %	1.78	1936
31	.15	4.99	17.29	59	49 %	0.88	1976								

Normal March Rain		6.87"	Normal April Rain	3.33"		
Normal March Snow	<	0.1 inch	Normal April Snow		0 inches	
Wettest March	12.46" 1974		Wettest April	7.85"	1993	
Driest March	0.40"	1926	Driest April	0.49"	1985	
Snowiest March	15.7"	1916	Snowiest April	2.0"	1911	
Greatest Daily Rainfall	2.21"	29 th / 1963	Greatest Daily Rainfall	2.05"	13 th / 1982	
Greatest Rain in a 24-hrs	2.44"	29-30 th /1963	Greatest Rain in a 24-hrs	2.38"	8-9 th /1992	
Greatest Snow in a 24-hrs	4.9"	5 th / 1951	Greatest Snow in a 24-hrs	2.0"	11-12 th /1911	

¹D is daily value, M is month-to-date, Y is year-to-date. Normals are 1981-2010, while Period of Record is 1892-2012.
²DR is number of days that had rain (0.01 inch or more), %R is the percent of days since 1893 f receiving 0.01 inch or more rain.

	To Date Days w/ Great							To Date Days w/							
		Normals ¹ Rain ² D M Y DR %I					atest Rain			To Dat Norma			ys w/ ain ²		atest Rain
	D	M	Y	DR	%R	Amt	Year		D	M	Y	DR	%R	Amt	Year
1	.09	.09	20.71	51	42 %	1.47	1949	1	.08	.08	23.44	32	27 %	0.88	1967
2	.09	.18	20.80	47	39 %	0.74	1975	2	.08	.16	23.52	34	29 %	0.78	2010
3	.09	.27	20.89	49	41 %	0.86	1993	3	.07	.23	23.59	30	26 %	0.63	2010
4	.09	.36	20.98	51	42 %	1.01	1926	4	.07	.30	23.66	34	29 %	0.81	1929
5	.09	.45	21.07	54	45 %	1.57	1963	5	.07	.37	23.73	35	30 %	1.17	1993
6	.09	.54	21.16	43	36 %	1.38	1963	6	.07	.44	23.80	32	27 %	1.28	1984
7	.09	.63	21.25	41	34 %	1.26	1991	7	.07	.51	22.87	31	27 %	1.02	1985
8	.09	.72	21.34	44	36 %	0.75	1916	8	.06	.57	23.93	30	26 %	1.34	1981
9	.09	.81	21.43	41	34 %	0.78	1967	9	.06	.63	23.99	40	34 %	0.68	1972
10	.09	.90	21.52	43	36 %	0.95	1896	10	.07	.70	24.06	38	33 %	0.87	1937
11	.09	.99	21.61	41	34 %	1.01	1937	11	.05	.75	24.11	28	24 %	0.98	1937
12	.10	1.09	21.71	37	31 %	0.70	1945	12	.06	.81	24.17	31	26 %	0.84	1912
13	.08	1.17	21.79	37	31 %	1.11	1902	13	.06	.87	24.23	37	32 %	1.67	2009
14	.09	1.26	21.88	43	36 %	0.96	1936	14	.05	.92	24.28	29	25 %	1.16	1920
15	.09	1.35	21.97	47	39 %	0.71	1893	15	.05	.97	24.33	24	20 %	1.01	1906
16	.09	1.44	22.06	45	37 %	1.94	1972	16	.05	1.02	24.38	29	25 %	0.49	1931
17	.08	1.52	22.14	48	40 %	1.16	1991	17	.05	1.07	24.43	31	26 %	0.45	1931
18	.09	1.61	22.23	48	40 %	1.04	1911	18	.04	1.11	24.47	28	24 %	0.58	1921
19	.08	1.69	22.31	50	42 %	0.73	2002	19	.05	1.16	24.52	26	22 %	0.70	1913
20	.09	1.78	22.40	46	38 %	0.59	1932	20	.04	1.20	24.56	24	20 %	0.86	1937
21	.08	1.86	22.48	45	38 %	1.03	1939	21	.04	1.24	24.60	24	20 %	1.58	1897
22	.09	1.95	22.57	44	36 %	0.73	1984	22	.04	1.28	24.64	31	26 %	0.83	1913
23	.09	2.04	22.66	38	31 %	1.17	1989	23	.03	1.31	24.67	22	19 %	0.60	1969
24	.08	2.12	22.74	40	33 %	1.21	2012	24	.03	1.34	24.70	26	22 %	0.98	1912
25	.09	2.21	22.83	45	38 %	1.30	1895	25	.03	1.37	27.73	28	24 %	1.12	1942
26	.09	2.30	22.92	46	38 %	0.90	1900	26	.03	1.40	24.76	24	20 %	1.04	1982
27	.09	2.39	23.01	40	33 %	0.60	1909	27	.03	1.43	24.79	30	25 %	0.68	1899
28	.09	2.48	23.10	37	31 %	0.80	1909	28	.02	1.45	24.81	34	29 %	1.56	1952
29	.09	2.57	23.19	44	37 %	1.46	1932	29	.03	1.48	24.84	21	18 %	1.10	1952
30	.08	2.65	23.27	44	37 %	0.86	1932	30	.02	1.50	24.86	21	18 %	0.76	1997
31	.09	2.74	23.36	39	33 %	1.20	1997								

Normal May Rain	2	2.74"	Normal June Rain		1.50"
Normal May Snow		0	Normal June Snow		0
Wettest May	6.92"	1993	Wettest June	5.57"	1937
Driest May	0.14"	1992	Driest June	Trace	1951
Snowiest May	never si	nowed in May	Snowiest June	never s	nowed in June
Greatest Daily Rainfall	1.94"	16 th / 1972	Greatest Daily Rainfall	1.67"	$13^{th} / 2009$
Greatest Rain in a 24-hrs	2.37"	16-17 th /1972	Greatest Rain in a 24-hrs	2.36"	28-29 th /1952
Greatest Snow in a 24-hrs	į	-	Greatest Snow in a 24-hrs	ı	-

 $^{^{1}}D$ is daily value, M is month-to-date, Y is year-to-date. Normals are 1981-2010, while Period of Record is 1892-2012. ^{2}DR is number of days that had rain (0.01 inch or more), %R is the percent of days since 1893 f receiving 0.01 inch or more rain.

	To Date Days w/ Greate										A	ugu	st		
		To Da Norma			ys w/ ain ²	Great Daily				To Dat Norma		Day Ra	ys w/ ain ²		atest Rain
	D	M	Y	DR	%R	Amt	Year		D	M	Y	DR	%R	Amt	Year
1	.02	.02	24.88	15	13 %	0.96	1983	1	.01	.01	25.41	3	2 %	0.37	1989
2	.03	.05	24.91	13	11 %	1.20	1902	2	.01	.02	25.42	5	4 %	0.24	1962
3	.02	.07	24.93	19	17 %	0.87	1902	3	.01	.03	25.43	9	8 %	0.35	1962
4	.02	.09	24.95	17	15 %	0.92	1992	4	.01	.04	25.44	6	5 %	0.31	1943
5	.03	.12	24.98	15	13 %	0.38	1992	5	.01	.05	25.45	6	5 %	0.34	1957
6	.02	.14	25.00	8	7 %	0.43	1909	6	.01	.06	25.46	10	9 %	0.14	1999
7	.02	.16	25.02	12	10 %	0.67	1923	7	.01	.07	25.47	10	9 %	0.47	1962
8	.03	.19	25.05	12	10 %	0.46	1946	8	.02	.09	25.49	7	6%	0.55	1907
9	.02	.21	25.07	11	10 %	0.61	1995	9	.01	.10	25.50	8	7 %	0.30	1991
10	.02	.23	25.09	10	9 %	0.22	1936	10	.01	.11	25.51	4	3 %	0.05	1995
11	.02	.25	25.11	5	4 %	0.33	1893	11	.02	.13	25.53	7	6 %	0.39	1965
12	.03	.28	25.14	6	5 %	0.69	2009	12	.01	.14	25.54	7	6%	0.19	1978
13	.01	.29	25.15	12	10 %	0.40	1982	13	.02	.16	25.56	12	10 %	0.93	1899
14	.02	.31	25.17	7	6 %	0.18	1964	14	.02	.18	25.58	12	10 %	0.70	1976
15	.02	.33	25.19	12	10 %	0.68	1916	15	.02	.20	25.60	10	9 %	0.64	1978
16	.02	.35	25.21	12	10 %	1.59	1916	16	.02	.22	25.62	13	11 %	1.41	1972
<i>17</i>	.01	.36	25.22	8	7 %	0.68	2011	<i>17</i>	.02	.24	25.64	11	10 %	1.07	1990
18	.02	.38	25.24	6	5 %	2.41	1987	18	.02	.26	25.66	16	14 %	0.46	1979
19	.01	.39	25.25	7	6 %	0.09	1945	19	.02	.28	25.68	10	9 %	1.52	1993
20	.02	.41	25.27	4	3 %	0.22	1965	20	.03	.31	25.71	11	10 %	0.67	1997
21	.01	.42	25.28	8	7 %	0.61	1993	21	.02	.33	25.73	16	14 %	1.88	1979
22	.01	.43	25.29	8	7 %	0.20	1934	22	.02	.35	25.75	14	12 %	0.40	1937
23	.01	.44	25.30	6	5 %	0.17	1918	23	.03	.38	25.78	16	14 %	0.86	1968
24	.02	.46	25.32	3	2 %	0.05	1947	24	.03	.41	25.81	20	18 %	0.82	1968
25	.01	.47	25.33	6	5 %	0.27	1984	25	.02	.43	25.83	17	15 %	0.72	1903
26	.01	.48	25.34	7	6 %	0.88	1947	26	.03	.46	25.86	16	14 %	0.32	1926
27	.01	.49	25.35	7	6 %	1.36	1947	27	.03	.49	25.89	14	12 %	0.73	1975
28	.02	.51	25.37	6	5 %	0.57	1975	28	.03	.52	25.92	17	15 %	1.21	1983
29	.01	.52	25.38	2	1 %	0.32	2001	29	.03	.55	25.95	22	20 %	1.17	1983
30	.01	.53	25.39	6	5 %	0.58	1985	30	.03	.58	25.98	24	22 %	1.54	1896
31	.01	.54	25.40	3	2 %	0.79	1985	31	.03	.61	26.01	17	15 %	0.76	1971

Normal July Rain	(0.54"	Normal August Rain		0.61"
Normal July Snow		0	Normal August Snow		0
Wettest July	3.38"	1916	Wettest August	5.79"	1968
Driest July	0.00"	2003+	Driest August	0.00"	2006+
⁺ also in 1967, 1933, 1931, 19	26, 1922, 1	1921, 1914, 1906	⁺ also in 1967, 1931, 1928, 1	1911, 1909	9,1893, and 1892
Greatest Daily Rainfall	2.41"	18 th / 1987	Greatest Daily Rainfall	1.88"	21 st / 1979
Greatest Rain in a 24-hrs	2.44"	17-18 th /1987	Greatest Rain in a 24-hrs	1.92"	28-29 th /1983
Greatest Snow in a 24-hrs	-	-	Greatest Snow in a 24-hrs	-	-

¹D is daily value, M is month-to-date, Y is year-to-date. Normals are 1981-2010, while Period of Record is 1892-2012.
²DR is number of days that had rain (0.01 inch or more), %R is the percent of days since 1893 f receiving 0.01 inch or more rain.

	September To Date Days w/ Greate								October To Date Days w/							
		To Da Norma			ys w/ ain ²		atest Rain			To Dat Norma			ys w/ ain ²		atest Rain	
	D	M	Y	DR	%R	Amt	Year		D	M	Y	DR	%R	Amt	Year	
1	.03	.03	26.04	23	21 %	1.32	1979	1	.06	.06	27.36	28	25 %	1.93	1937	
2	.03	.06	26.07	17	15 %	0.72	1979	2	.05	.11	27.41	44	39 %	1.38	1967	
3	.03	.09	26.10	15	13 %	0.56	1960	3	.06	.17	27.47	40	36 %	0.96	1950	
4	.04	.13	26.14	16	14 %	0.43	1996	4	.06	.23	27.53	41	36 %	0.95	1965	
5	.03	.16	26.17	19	17 %	1.36	1911	5	.06	.29	27.59	29	26 %	0.98	1975	
6	.04	.20	26.21	18	16 %	0.67	1893	6	.07	.36	27.66	37	33 %	0.78	1923	
7	.04	.24	26.25	23	21 %	0.93	1938	7	.07	.43	27.73	33	29 %	2.00	1893	
8	.03	.27	26.28	27	25 %	0.59	1952	8	.06	.49	27.79	38	34 %	1.51	1893	
9	.04	.31	26.32	24	22 %	0.85	1978	9	.08	.57	27.87	37	33 %	3.62	1955	
10	.03	.34	26.35	21	19 %	0.48	1962	10	.07	.64	27.94	42	37 %	1.01	1947	
11	.04	.38	26.39	20	18 %	1.15	1895	11	.08	.72	28.02	43	38 %	1.64	1968	
12	.04	.42	26.43	22	20 %	1.17	1985	12	.08	.80	28.10	37	33 %	1.22	1962	
13	.04	.46	26.47	25	23 %	0.68	1968	13	.08	.88	28.18	34	30 %	0.98	1935	
14	.04	.50	26.51	29	27 %	1.27	1996	14	.09	.97	28.27	35	31 %	1.84	1908	
15	.04	.54	26.55	26	24 %	1.17	1963	15	.09	1.06	28.36	40	36 %	3.01	1947	
16	.05	.59	26.60	26	24 %	1.01	1946	16	.10	1.16	28.46	34	30 %	1.02	1918	
17	.04	.63	26.64	25	23 %	1.02	1969	17	.10	1.26	28.56	41	37 %	1.05	2004	
18	.04	.67	26.68	29	26 %	0.81	1968	18	.11	1.37	28.67	38	34 %	2.91	1979	
19	.05	.72	26.73	29	26 %	1.47	1921	19	.12	1.49	28.79	40	36 %	1.75	1947	
20	.04	.76	26.77	24	22 %	0.75	1901	20	.12	1.61	28.91	43	38 %	1.59	1979	
21	.05	.81	26.82	14	12 %	1.12	1972	21	.12	1.73	29.03	39	35 %	1.39	1934	
22	.05	.86	26.87	18	16 %	0.75	1948	22	.13	1.86	29.16	45	40 %	1.74	1931	
23	.05	.91	26.92	21	19 %	0.99	1948	23	.14	2.00	29.30	49	44 %	1.23	2010	
24	.04	.95	26.96	27	25 %	0.95	1927	24	.14	2.14	29.44	47	42 %	1.47	1940	
25	.06	1.01	27.02	26	24 %	0.85	1986	25	.15	2.29	29.59	47	42 %	1.71	1956	
26	.05	1.06	27.07	27	25 %	1.34	1981	26	.15	2.44	29.74	45	40 %	1.53	1922	
27	.06	1.12	27.13	21	19 %	0.89	1922	27	.15	2.59	29.89	57	51 %	2.22	1994	
28	.06	1.18	27.19	24	22 %	1.22	1962	28	.15	2.74	30.04	49	44 %	1.93	1950	
29	.05	1.23	27.24	24	22 %	1.01	1901	29	.17	2.91	30.21	52	46 %	1.91	1950	
30	.06	1.29	27.30	26	24 %	1.18	2007	30	.17	3.08	30.38	52	46 %	2.75	1990	
								31	.17	3.25	30.55	62	55 %	3.70	1994	

Normal September Rain]	1.29"	Normal October Rain	3.25"		
Normal September Snow		0	Normal October Snow		0	
Wettest September	5.21" 1927		Wettest October	12.66"	1950	
Driest September	0.00"	1999	Driest October	Trace	1895	
Snowiest September	never snowed in Sept.		Snowiest October	1.0"	1935	
Greatest Daily Rainfall	1.47	19 th / 1921	Greatest Daily Rainfall	3.70"	31 st / 1994	
Greatest Rain in a 24-hrs	1.68"	1963 & 1981	Greatest Rain in a 24-hrs	3.85"	8-9 th /1955	
Greatest Snow in a 24-hrs	-	-	Greatest Snow in a 24-hrs	1.0"	31 st / 1935	

¹D is daily value, M is month-to-date, Y is year-to-date. Normals are 1981-2010, while Period of Record is 1890-2012.
²DR is number of days that had rain (0.01 inch or more), %R is the percent of days since 1893 f receiving 0.01 inch or more rain.

			No	vem	ber						De	cem	ber		
		To Da			ys w/		atest			To Dat		Day	ys w/		atest
		Norma			ain ²		Rain			Norma			ain ²		Rain
	D	M	Y	DR	%R	Amt	Year		D	M	Y	DR	%R	Amt	Year
1	.18	.18	30.73	57	49 %	2.65	1924	1	.31	.31	38.58	75	63 %	2.09	1987
2	.19	.37	30.92	54	46 %	3.20	1984	2	.30	.61	38.88	77	64 %	4.48	1980
3	.19	.56	31.11	57	49 %	1.38	1972	3	.30	.91	39.18	65	54 %	3.14	1987
4	.20	.76	31.31	63	54 %	1.77	1973	4	.29	1.20	39.47	70	58 %	2.89	1968
5	.22	.98	31.53	64	55 %	1.38	1991	5	.28	1.48	39.75	71	59 %	4.89	1981
6	.22	1.20	31.75	62	53 %	1.20	1916	6	.28	1.76	40.03	71	59 %	1.96	1983
7	.23	1.43	31.98	65	56 %	2.56	2006	7	.27	2.03	40.30	71	59 %	1.85	1923
8	.23	1.66	32.21	69	60 %	2.00	1910	8	.27	2.30	40.57	73	61 %	1.80	1992
9	.24	1.90	32.45	63	54 %	2.09	1984	9	.26	2.56	40.83	70	58 %	2.71	1987
10	.25	2.15	32.70	66	57 %	1.55	1937	10	.26	2.82	41.09	69	57 %	3.07	1993
11	.25	2.40	32.95	64	55 %	1.70	1981	11	.25	3.07	41.34	68	57 %	2.57	1969
12	.26	2.66	33.21	63	54 %	1.29	1965	12	.24	3.31	41.58	72	60 %	2.06	1995
13	.26	2.92	33.47	68	59 %	1.94	1966	13	.26	3.57	41.84	68	57 %	2.68	2003
14	.26	3.18	33.73	60	52 %	1.70	1941	14	.25	3.82	42.09	70	58 %	2.22	1981
15	.25	3.43	33.98	67	58 %	3.61	1950	15	.25	4.07	42.34	62	52 %	3.02	1982
16	.27	3.70	34.25	64	55 %	2.25	1896	16	.25	4.32	42.59	59	49 %	1.58	1977
<i>17</i>	.27	3.97	34.52	78	67 %	1.78	1950	<i>17</i>	.24	4.56	42.83	63	53 %	1.35	1957
18	.27	4.24	34.79	71	61 %	4.03	1996	18	.25	4.81	43.08	68	57 %	1.25	1929
19	.27	4.51	35.06	70	60 %	2.40	1996	19	.25	5.06	43.33	72	60 %	3.24	1957
20	.27	4.78	35.33	67	58 %	2.30	1926	20	.24	5.30	43.57	73	61 %	3.02	1955
21	.28	5.06	35.61	68	59 %	2.00	1980	21	.25	5.55	43.82	71	59 %	3.25	1964
22	.28	5.34	35.89	65	56 %	2.93	1961	22	.23	5.78	44.05	66	55 %	3.25	1964
23	.29	5.63	36.18	65	56 %	2.30	1960	23	.24	6.02	44.29	69	57 %	3.18	1917
24	.28	5.91	36.46	60	62 %	4.18	1960	24	.23	6.25	44.52	69	57 %	2.42	1980
25	.30	6.21	36.76	66	57 %	2.25	1977	25	.23	6.48	44.75	71	59 %	2.59	1955
26	.29	6.50	37.05	71	61 %	2.41	1971	26	.22	6.70	44.97	69	57 %	1.61	1955
27	.30	6.80	37.35	66	57 %	2.42	1986	27	.23	6.93	45.20	81	68 %	2.37	1928
28	.30	7.10	37.65	62	53 %	2.28	1893	28	.23	7.16	45.43	81	68 %	2.38	2011
29	.31	7.41	37.96	67	58 %	1.67	1982	29	.22	7.38	45.65	78	65 %	1.23	1996
30	.32	7.72	38.27	68	59 %	2.85	1975	30	.22	7.60	45.87	72	60 %	2.45	2005
								31	.23	7.83	46.10	72	60 %	2.00	1893

Normal November Rain	1	7.72"	Normal December Rain	7.83"		
Normal November Snow	(0.2 inch	Normal December Snow	1.	5 inches	
Wettest November	20.48" 1973		Wettest December	20.99"	1964	
Driest November	0.35"	1936	Driest December	1.24"	1976	
Snowiest November	6.0"	1955	Snowiest December	10.2"	1964	
Greatest Daily Rainfall	4.18"	24 th / 1960	Greatest Daily Rainfall	4.89"	5 th / 1981	
Greatest Rain in a 24-hrs	5.07"	18-19 th / 1996	Greatest Rain in a 24-hrs	5.15"	5-6 th / 1981	
Greatest Snow in a 24-hrs 5.0		15-16 th /1955	Greatest Snow in a 24-hrs	6.3"	5-6 th / 1972	

 $^{^{1}}D$ is daily value, M is month-to-date, Y is year-to-date. Normals are 1981-2010, while Period of Record is 1890-November2012. ^{2}DR is number of days that had rain (0.01 inch or more), %R is the percent of days since 1893 f receiving 0.01 inch or more rain.